BS EN ISO 9000:2005

Quality management systems — Fundamentals and vocabulary

The European Standard EN ISO 9000:2005 has the status of a British Standard

ICS 03.120.10; 01.040.03



National foreword

This British Standard is the official English language version of EN ISO 9000:2005. It is identical with ISO 9000:2005. It supersedes BS EN ISO 9000:2000 which will be withdrawn in March 2006.

The UK participation in its preparation was entrusted to Technical Committee QS/1, Quality management and quality assurance procedures, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the *BSI Catalogue* under the section entitled "International Standards Correspondence Index", or by using the "Search" facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN ISO title page, the EN ISO foreword page, the ISO title page, pages ii to vi, pages 1 to 30, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

published under the authority of the Standards Policy and Strategy Committee on 29 September 2005

This British Standard was

© BSI 29 September 2005

Copy, (c) BSI

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 9000**

September 2005

ICS 03.120.10; 01.040.03

Supersedes EN ISO 9000:2000

English Version

Quality management systems - Fundamentals and vocabulary (ISO 9000:2005)

Systèmes de management de la qualité - Principes essentiels et vocabulaire (ISO 9000:2005)

Qualitätsmanagementsysteme - Grundlagen und Begriffe (ISO 9000:2005)

This European Standard was approved by CEN on 12 September 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (ISO 9000:2005) has been prepared by Technical Committee ISO/TC 176 "Quality management and quality assurance", Subcommittee 1, "Concepts and terminology", in collaboration with the CEN Management Centre (CMC).

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2006, and conflicting national standards shall be withdrawn at the latest by March 2006.

This document supersedes EN ISO 9000:2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 9000:2005 has been approved by CEN as a European Standard (EN ISO 9000:2005) without any modifications.

(ISO) (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electronical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9000:2005 was prepared by Technical Committee ISO/TC 176, Quality management and quality assurance, Subcommittee SC 1, Concepts and terminology.

Annex A of this International Standard is for information only. It includes concept diagrams that provide a graphical representation of the relationships between terms in specific fields relative to quality management systems.

INTERNATIONAL STANDARD

ISO 9000

Third edition 2005-09-15

Quality management systems — Fundamentals and vocabulary

Systèmes de management de la qualité — Principes essentiels et vocabulaire



ii

copy, (c) BSI	; opy, (c)		
opy, (c)	; opy, (c)	U	5
opy	Opy		
9	90		\ \ \
			5

Co	ntents	Page		
1	Scope	1		
2	Fundamentals of quality management systems	1		
2.1	Rationale for quality management systems	1		
2.2	Requirements for quality management systems and requirements for products	1		
2.3	Quality management systems approach	2		
2.4	The process approach	2		
2.5	Quality policy and quality objectives	2		
2.6	Role of top management within the quality management system	3		
2.7	Documentation	4		
2.8	Evaluating quality management systems	4		
2.9	Continual improvement	5		
2.10	Role of statistical techniques	6		
2.11	Quality management systems and other management system focuses	6		
2.12	Relationship between quality management systems and excellence models	6		
3	Terms and definitions	6		
3.1	Terms relating to quality	7		
3.2	Terms relating to management	8		
3.3	Terms relating to organization	9		
3.4	Terms relating to process and product	11		
3.5	Terms relating to characteristics	12		
3.6	Terms relating to conformity	13		
3.7	Terms relating to documentation	14		
3.8	Terms relating to examination	15		
3.9	Terms relating to audit	16		
3.10	Terms relating to quality management or measurement processes	18		
Annex A (informative) Methodology used in the development of the vocabulary 20				
Bibli	Bibliography29			
Alph	nabetical index	30		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9000 was prepared by Technical Committee ISO/TC 176, Quality management and quality assurance, Subcommittee SC 1, Concepts and terminology.

This third edition cancels and replaces the second edition (ISO 9000:2000). It includes the changes accepted in the Draft Amendment ISO/DAM 9000:2004.

Annex A includes concept diagrams that provide a graphical representation of the relationships between terms in specific fields relative to quality management systems.

Introduction

0.1 General

The ISO 9000 family of standards listed below has been developed to assist organizations, of all types and sizes, to implement and operate effective quality management systems.

- ISO 9000 describes fundamentals of quality management systems and specifies the terminology for quality management systems.
- ISO 9001 specifies requirements for a quality management system where an organization needs to demonstrate its ability to provide products that fulfil customer and applicable regulatory requirements and aims to enhance customer satisfaction.
- ISO 9004 provides guidelines that consider both the effectiveness and efficiency of the quality management system. The aim of this standard is improvement of the performance of the organization and satisfaction of customers and other interested parties.
- ISO 19011 provides guidance on auditing quality and environmental management systems.

Together they form a coherent set of quality management system standards facilitating mutual understanding in national and international trade.

0.2 Quality management principles

To lead and operate an organization successfully, it is necessary to direct and control it in a systematic and transparent manner. Success can result from implementing and maintaining a management system that is designed to continually improve performance while addressing the needs of all interested parties. Managing an organization encompasses quality management amongst other management disciplines.

Eight quality management principles have been identified that can be used by top management in order to lead the organization towards improved performance.

a) Customer focus

Organizations depend on their customers and therefore should understand current and future customer needs, should meet customer requirements and strive to exceed customer expectations.

b) Leadership

Leaders establish unity of purpose and direction of the organization. They should create and maintain the internal environment in which people can become fully involved in achieving the organization's objectives.

c) Involvement of people

People at all levels are the essence of an organization and their full involvement enables their abilities to be used for the organization's benefit.

d) Process approach

A desired result is achieved more efficiently when activities and related resources are managed as a process.

e) System approach to management

Identifying, understanding and managing interrelated processes as a system contributes to the organization's effectiveness and efficiency in achieving its objectives.

f) Continual improvement

Continual improvement of the organization's overall performance should be a permanent objective of the organization.

g) Factual approach to decision making

Effective decisions are based on the analysis of data and information.

h) Mutually beneficial supplier relationships

An organization and its suppliers are interdependent and a mutually beneficial relationship enhances the ability of both to create value.

These eight quality management principles form the basis for the quality management system standards within the ISO 9000 family.

Quality management systems — Fundamentals and vocabulary

1 Scope

This International Standard describes fundamentals of quality management systems, which form the subject of the ISO 9000 family, and defines related terms.

This International Standard is applicable to the following:

- a) organizations seeking advantage through the implementation of a quality management system;
- b) organizations seeking confidence from their suppliers that their product requirements will be satisfied;
- c) users of the products;
- d) those concerned with a mutual understanding of the terminology used in quality management (e.g. suppliers, customers, regulators);
- e) those internal or external to the organization who assess the quality management system or audit it for conformity with the requirements of ISO 9001 (e.g. auditors, regulators, certification/registration bodies);
- those internal or external to the organization who give advice or training on the quality management system appropriate to that organization;
- g) developers of related standards.

2 Fundamentals of quality management systems

2.1 Rationale for quality management systems

Quality management systems can assist organizations in enhancing customer satisfaction.

Customers require products with characteristics that satisfy their needs and expectations. These needs and expectations are expressed in product specifications and collectively referred to as customer requirements. Customer requirements may be specified contractually by the customer or may be determined by the organization itself. In either case, the customer ultimately determines the acceptability of the product. Because customer needs and expectations are changing, and because of competitive pressures and technical advances, organizations are driven to improve continually their products and processes.

The quality management system approach encourages organizations to analyse customer requirements, define the processes that contribute to the achievement of a product which is acceptable to the customer, and keep these processes under control. A quality management system can provide the framework for continual improvement to increase the probability of enhancing customer satisfaction and the satisfaction of other interested parties. It provides confidence to the organization and its customers that it is able to provide products that consistently fulfil requirements.

2.2 Requirements for quality management systems and requirements for products

The ISO 9000 family distinguishes between requirements for quality management systems and requirements for products.

Requirements for quality management systems are specified in ISO 9001. Requirements for quality management systems are generic and applicable to organizations in any industry or economic sector regardless of the offered product category. ISO 9001 itself does not establish requirements for products.

Requirements for products can be specified by customers or by the organization in anticipation of customer requirements, or by regulation. The requirements for products and in some cases associated processes can be contained in, for example, technical specifications, product standards, process standards, contractual agreements and regulatory requirements.

2.3 Quality management systems approach

An approach to developing and implementing a quality management system consists of several steps including the following:

- a) determining the needs and expectations of customers and other interested parties;
- b) establishing the quality policy and quality objectives of the organization;
- c) determining the processes and responsibilities necessary to attain the quality objectives;
- d) determining and providing the resources necessary to attain the quality objectives;
- e) establishing methods to measure the effectiveness and efficiency of each process;
- f) applying these measures to determine the effectiveness and efficiency of each process;
- g) determining means of preventing nonconformities and eliminating their causes;
- h) establishing and applying a process for continual improvement of the quality management system.

Such an approach is also applicable to maintaining and improving an existing quality management system.

An organization that adopts the above approach creates confidence in the capability of its processes and the quality of its products, and provides a basis for continual improvement. This can lead to increased satisfaction of customers and other interested parties and to the success of the organization.

2.4 The process approach

Any activity, or set of activities, that uses resources to transform inputs to outputs can be considered as a process.

For organizations to function effectively, they have to identify and manage numerous interrelated and interacting processes. Often, the output from one process will directly form the input into the next process. The systematic identification and management of the processes employed within an organization and particularly the interactions between such processes is referred to as the "process approach".

The intent of this International Standard is to encourage the adoption of the process approach to manage an organization.

Figure 1 illustrates the process-based quality management system described in the ISO 9000 family of standards. This illustration shows that interested parties play a significant role in providing inputs to the organization. Monitoring the satisfaction of interested parties requires the evaluation of information relating to the perception of interested parties as to the extent to which their needs and expectations have been met. The model shown in Figure 1 does not show processes at a detailed level.

2.5 Quality policy and quality objectives

Quality policy and quality objectives are established to provide a focus to direct the organization. Both determine the desired results and assist the organization to apply its resources to achieve these results. The quality policy provides a framework for establishing and reviewing quality objectives. The quality objectives need to be consistent with the quality policy and the commitment to continual improvement, and their achievement needs to be measurable. The achievement of quality objectives can have a positive impact on product quality, operational effectiveness and financial performance and thus on the satisfaction and confidence of interested parties.

NOTE Statements in parentheses do not apply to ISO 9001.

Figure 1 — Model of a process-based quality management system

2.6 Role of top management within the quality management system

Through leadership and actions, top management can create an environment where people are fully involved and in which a quality management system can operate effectively. The quality management principles (see 0.2) can be used by top management as the basis of its role, which is as follows:

- a) to establish and maintain the quality policy and quality objectives of the organization;
- b) to promote the quality policy and quality objectives throughout the organization to increase awareness, motivation and involvement;
- c) to ensure focus on customer requirements throughout the organization;
- d) to ensure that appropriate processes are implemented to enable requirements of customers and other interested parties to be fulfilled and quality objectives to be achieved;
- e) to ensure that an effective and efficient quality management system is established, implemented and maintained to achieve these quality objectives;
- f) to ensure the availability of necessary resources;
- g) to review the quality management system periodically;
- h) to decide on actions regarding the quality policy and quality objectives;
- i) to decide on actions for improvement of the quality management system.

2.7 Documentation

2.7.1 Value of documentation

Documentation enables communication of intent and consistency of action. Its use contributes to

- a) achievement of conformity to customer requirements and quality improvement
- b) provision of appropriate training,
- c) repeatability and traceability,
- d) provision of objective evidence, and
- e) evaluation of the effectiveness and continuing suitability of the quality management system.

Generation of documentation should not be an end in itself but should be a value-adding activity.

2.7.2 Types of document used in quality management systems

The following types of document are used in quality management systems:

- a) documents that provide consistent information, both internally and externally, about the organization's quality management system; such documents are referred to as quality manuals;
- b) documents that describe how the quality management system is applied to a specific product, project or contract; such documents are referred to as quality plans;
- c) documents stating requirements; such documents are referred to as specifications;
- d) documents stating recommendations or suggestions; such documents are referred to as guidelines;
- documents that provide information about how to perform activities and processes consistently; such
 documents can include documented procedures, work instructions and drawings;
- documents that provide objective evidence of activities performed or results achieved; such documents are referred to as records.

Each organization determines the extent of documentation required and the media to be used. This depends on factors such as the type and size of the organization, the complexity and interaction of processes, the complexity of products, customer requirements, the applicable regulatory requirements, the demonstrated ability of personnel, and the extent to which it is necessary to demonstrate fulfilment of quality management system requirements.

2.8 Evaluating quality management systems

2.8.1 Evaluating processes within the quality management system

When evaluating quality management systems, there are four basic questions that should be asked in relation to every process being evaluated.

- a) Is the process identified and appropriately defined?
- b) Are responsibilities assigned?
- c) Are the procedures implemented and maintained?
- d) Is the process effective in achieving the required results?

The collective answers to the above questions can determine the result of the evaluation. Evaluation of a quality management system can vary in scope and encompass a range of activities, such as auditing and reviewing the quality management system, and self-assessments.

2.8.2 Auditing the quality management system

Audits are used to determine the extent to which the quality management system requirements are fulfilled. Audit findings are used to assess the effectiveness of the quality management system and to identify opportunities for improvement.

First-party audits are conducted by, or on behalf of, the organization itself for internal purposes and can form the basis for an organization's self-declaration of conformity.

Second-party audits are conducted by customers of the organization or by other persons on behalf of the customer.

Third-party audits are conducted by external independent organizations. Such organizations, usually accredited, provide certification or registration of conformity with requirements such as those of ISO 9001.

ISO 19011 provides guidance on auditing.

Reviewing the quality management system

One role of top management is to carry out regular systematic evaluations of the suitability, adequacy, effectiveness and efficiency of the quality management system with respect to the quality policy and quality objectives. This review can include consideration of the need to adapt the quality policy and objectives in response to changing needs and expectations of interested parties. The review includes determination of the need for actions.

Amongst other sources of information, audit reports are used for review of the quality management system.

2.8.4 Self-assessment

An organization's self-assessment is a comprehensive and systematic review of the organization's activities and results referenced against the quality management system or a model of excellence.

Self-assessment can provide an overall view of the performance of the organization and the degree of maturity of the quality management system. It can also help to identify areas requiring improvement in the organization and to determine priorities.

2.9 Continual improvement

The aim of continual improvement of a quality management system is to increase the probability of enhancing the satisfaction of customers and other interested parties. Actions for improvement include the following:

- analysing and evaluating the existing situation to identify areas for improvement;
- establishing the objectives for improvement;
- searching for possible solutions to achieve the objectives;
- evaluating these solutions and making a selection;
- implementing the selected solution;
- measuring, verifying, analysing and evaluating results of the implementation to determine that the objectives have been met;
- formalizing changes.

Results are reviewed, as necessary, to determine further opportunities for improvement. In this way, improvement is a continual activity. Feedback from customers and other interested parties, audits and review of the quality management system can also be used to identify opportunities for improvement.

2.10 Role of statistical techniques

The use of statistical techniques can help in understanding variability, and thereby can help organizations to solve problems and improve effectiveness and efficiency. These techniques also facilitate better use of available data to assist in decision making.

Variability can be observed in the behaviour and outcome of many activities, even under conditions of apparent stability. Such variability can be observed in measurable characteristics of products and processes, and may be seen to exist at various stages over the life cycle of products from market research to customer service and final disposal.

Statistical techniques can help to measure, describe, analyse, interpret and model such variability, even with a relatively limited amount of data. Statistical analysis of such data can help to provide a better understanding of the nature, extent and causes of variability, thus helping to solve and even prevent problems that may result from such variability, and to promote continual improvement.

Guidance on statistical techniques in a quality management system is given in ISO/TR 10017.

2.11 Quality management systems and other management system focuses

The quality management system is that part of the organization's management system that focuses on the achievement of results, in relation to the quality objectives, to satisfy the needs, expectations and requirements of interested parties, as appropriate. The quality objectives complement other objectives of the organization such as those related to growth, funding, profitability, the environment and occupational health and safety. The various parts of an organization's management system might be integrated, together with the quality management system, into a single management system using common elements. This can facilitate planning, allocation of resources, definition of complementary objectives and evaluation of the overall effectiveness of the organization. The organization's management system can be assessed against the organization's management system requirements. The management system can also be audited against the requirements of International Standards such as ISO 9001 and ISO 14001. These management system audits can be carried out separately or in combination.

2.12 Relationship between quality management systems and excellence models

The approaches of quality management systems given in the ISO 9000 family of standards and in organizational excellence models are based on common principles. Both approaches

- a) enable an organization to identify its strengths and weaknesses,
- b) contain provision for evaluation against generic models,
- c) provide a basis for continual improvement, and
- d) contain provision for external recognition.

The difference between the approaches of the quality management systems in the ISO 9000 family and the excellence models lies in their scope of application. The ISO 9000 family of standards provides requirements for quality management systems and guidance for performance improvement; evaluation of quality management systems determines fulfilment of those requirements. The excellence models contain criteria that enable comparative evaluation of organizational performance and this is applicable to all activities and all interested parties of an organization. Assessment criteria in excellence models provide a basis for an organization to compare its performance with the performance of other organizations.

3 Terms and definitions

A term in a definition or note which is defined elsewhere in this clause is indicated by boldface followed by its entry number in parentheses. Such a boldface term may be replaced in the definition by its complete definition. For example:

Teknologi

EN ISO 9000:2005

product (3.4.2) is defined as "result of a **process** (3.4.1)";

process is defined as "set of interrelated or interacting activities which transforms inputs into outputs".

If the term "process" is replaced by its definition, as follows:

product then becomes "result of a set of interrelated or interacting activities which transforms inputs into outputs".

A concept limited to a special meaning in a particular context is indicated by designating the subject field in angle brackets, (), before the definition.

EXAMPLE In the context of an audit, the term entry for technical expert is:

3.9.11

technical expert

(audit) person who provides specific knowledge or expertise to the audit team (3.9.10)

3.1 Terms relating to quality

3.1.1

quality

degree to which a set of inherent characteristics (3.5.1) fulfils requirements (3.1.2)

NOTE 1 The term "quality" can be used with adjectives such as poor, good or excellent.

NOTE 2 "Inherent", as opposed to "assigned", means existing in something, especially as a permanent characteristic.

3.1.2

requirement

need or expectation that is stated, generally implied or obligatory

- NOTE 1 "Generally implied" means that it is custom or common practice for the **organization** (3.3.1), its **customers** (3.3.5) and other interested parties (3.3.7), that the need or expectation under consideration is implied.
- NOTE 2 A qualifier can be used to denote a specific type of requirement, e.g. product requirement, quality management requirement, customer requirement.
- NOTE 3 A specified requirement is one that is stated, for example in a document (3.7.2).
- NOTE 4 Requirements can be generated by different interested parties (3.3.7).
- NOTE 5 This definition differs from that provided in 3.12.1 of ISO/IEC Directives, Part 2:2004.

3.12.1

requirement

expression in the content of a document conveying criteria to be fulfilled if compliance with the document is to be claimed and from which no deviation is permitted

3.1.3

category or rank given to different quality requirements for products (3.4.2), processes (3.4.1) or systems (3.2.1) having the same functional use

EXAMPLE Class of airline ticket and category of hotel in a hotel guide.

NOTE When establishing a quality requirement, the grade is generally specified.

3.1.4

customer satisfaction

customer's perception of the degree to which the customer's requirements (3.1.2) have been fulfilled

NOTE 1 Customer complaints are a common indicator of low customer satisfaction but their absence does not necessarily imply high customer satisfaction.

NOTE 2 Even when customer requirements have been agreed with the customer and fulfilled, this does not necessarily ensure high customer satisfaction.

3.1.5

capability

ability of an **organization** (3.3.1), **system** (3.2.1) or **process** (3.4.1) to realize a **product** (3.4.2) that will fulfil the **requirements** (3.1.2) for that product

NOTE Process capability terms in the field of statistics are defined in ISO 3534-2.

3.1.6

competence

demonstrated ability to apply knowledge and skills

NOTE The concept of competence is defined in a generic sense in this International Standard. The word usage can be more specific in other ISO documents.

3.2 Terms relating to management

3.2.1

system

set of interrelated or interacting elements

3.2.2

management system

system (3.2.1) to establish policy and objectives and to achieve those objectives

NOTE A management system of an **organization** (3.3.1) can include different management systems, such as a **quality** management system (3.2.3), a financial management system or an environmental management system.

3.2.3

quality management system

management system (3.2.2) to direct and control an organization (3.3.1) with regard to quality (3.1.1)

3.2.4

quality policy

overall intentions and direction of an **organization** (3.3.1) related to **quality** (3.1.1) as formally expressed by **top management** (3.2.7)

NOTE 1 Generally the quality policy is consistent with the overall policy of the organization and provides a framework for the setting of **quality objectives** (3.2.5).

NOTE 2 Quality management principles presented in this International Standard can form a basis for the establishment of a quality policy. (See 0.2.)

3.2.5

quality objective

something sought, or aimed for, related to quality (3.1.1)

- NOTE 1 Quality objectives are generally based on the organization's quality policy (3.2.4).
- NOTE 2 Quality objectives are generally specified for relevant functions and levels in the organization (3.3.1).

3.2.6

management

coordinated activities to direct and control an organization (3.3.1)

NOTE In English, the term "management" sometimes refers to people, i.e. a person or group of people with authority and responsibility for the conduct and control of an organization. When "management" is used in this sense, it should always be used with some form of qualifier to avoid confusion with the concept "management" defined above. For example, "management shall..." is deprecated whereas "top management (3.2.7) shall..." is acceptable.

3.2.7

top management

person or group of people who directs and controls an organization (3.3.1) at the highest level

quality management

coordinated activities to direct and control an organization (3.3.1) with regard to quality (3.1.1)

NOTE Direction and control with regard to quality generally includes establishment of the quality policy (3.2.4) and quality objectives (3.2.5), quality planning (3.2.9), quality control (3.2.10), quality assurance (3.2.11) and quality improvement (3.2.12).

3.2.9

quality planning

part of quality management (3.2.8) focused on setting quality objectives (3.2.5) and specifying necessary operational processes (3.4.1) and related resources to fulfil the quality objectives

NOTE Establishing quality plans (3.7.5) can be part of quality planning.

3.2.10

quality control

part of quality management (3.2.8) focused on fulfilling quality requirements

3.2.11

quality assurance

part of quality management (3.2.8) focused on providing confidence that quality requirements will be fulfilled

3.2.12

quality improvement

part of quality management (3.2.8) focused on increasing the ability to fulfil quality requirements

NOTE The requirements can be related to any aspect such as effectiveness (3.2.14), efficiency (3.2.15) or traceability (3.5.4).

3.2.13

continual improvement

recurring activity to increase the ability to fulfil requirements (3.1.2)

NOTE The process (3.4.1) of establishing objectives and finding opportunities for improvement is a continual process through the use of audit findings (3.9.5) and audit conclusions (3.9.6), analysis of data, management reviews (3.8.7) or other means and generally leads to corrective action (3.6.5) or preventive action (3.6.4).

3.2.14

effectiveness

extent to which planned activities are realized and planned results achieved

3.2.15

efficiency

relationship between the result achieved and the resources used

3.3 Terms relating to organization

3.3.1

organization

group of people and facilities with an arrangement of responsibilities, authorities and relationships

EXAMPLE Company, corporation, firm, enterprise, institution, charity, sole trader, association, or parts or combination thereof.

NOTE 1 The arrangement is generally orderly.

NOTE 2 An organization can be public or private.

NOTE 3 This definition is valid for the purposes of **quality management system** (3.2.3) standards. The term "organization" is defined differently in ISO/IEC Guide 2.

3.3.2

organizational structure

arrangement of responsibilities, authorities and relationships between people

NOTE 1 The arrangement is generally orderly.

NOTE 2 A formal expression of the organizational structure is often provided in a **quality manual** (3.7.4) or a **quality plan** (3.7.5) for a **project** (3.4.3).

NOTE 3 The scope of an organizational structure can include relevant interfaces to external organizations (3.3.1).

3.3.3

infrastructure

(organization) **system** (3.2.1) of facilities, equipment and services needed for the operation of an **organization** (3.3.1)

3.3.4

work environment

set of conditions under which work is performed

NOTE Conditions include physical, social, psychological and environmental factors (such as temperature, recognition schemes, ergonomics and atmospheric composition).

3.3.5

customer

organization (3.3.1) or person that receives a product (3.4.2)

EXAMPLE Consumer, client, end-user, retailer, beneficiary and purchaser.

NOTE A customer can be internal or external to the organization.

3.3.6

supplier

organization (3.3.1) or person that provides a product (3.4.2)

EXAMPLE Producer, distributor, retailer or vendor of a product, or provider of a service or information.

NOTE 1 A supplier can be internal or external to the organization.

NOTE 2 In a contractual situation, a supplier is sometimes called "contractor".

3.3.7

interested party

person or group having an interest in the performance or success of an organization (3.3.1)

EXAMPLE Customers (3.3.5), owners, people in an organization, suppliers (3.3.6), bankers, unions, partners or society.

NOTE A group can comprise an organization, a part thereof, or more than one organization.

3.3.8

contract

binding agreement

NOTE The concept of contract is defined in a generic sense in this International Standard. The word usage can be more specific in other ISO documents.

3.4 Terms relating to process and product

3.4.1

process

set of interrelated or interacting activities which transforms inputs into outputs

- NOTE 1 Inputs to a process are generally outputs of other processes.
- NOTE 2 Processes in an organization (3.3.1) are generally planned and carried out under controlled conditions to add value.
- NOTE 3 A process where the **conformity** (3.6.1) of the resulting **product** (3.4.2) cannot be readily or economically verified is frequently referred to as a "special process".

3.4.2

product

result of a process (3.4.1)

NOTE 1 There are four generic product categories, as follows:

- services (e.g. transport);
- software (e.g. computer program, dictionary);
- hardware (e.g. engine mechanical part);
- processed materials (e.g. lubricant).

Many products comprise elements belonging to different generic product categories. Whether the product is then called service, software, hardware or processed material depends on the dominant element. For example, the offered product "automobile" consists of hardware (e.g. tyres), processed materials (e.g. fuel, cooling liquid), software (e.g. engine control software, driver's manual), and service (e.g. operating explanations given by the salesman).

NOTE 2 Service is the result of at least one activity necessarily performed at the interface between the supplier (3.3.6) and **customer** (3.3.5) and is generally intangible. Provision of a service can involve, for example, the following:

- an activity performed on a customer-supplied tangible product (e.g. automobile to be repaired);
- an activity performed on a customer-supplied intangible product (e.g. the income statement needed to prepare a tax return):
- the delivery of an intangible product (e.g. the delivery of information in the context of knowledge transmission);
- the creation of ambience for the customer (e.g. in hotels and restaurants).

Software consists of information and is generally intangible and can be in the form of approaches, transactions or procedures (3.4.5).

Hardware is generally tangible and its amount is a countable characteristic (3.5.1). Processed materials are generally tangible and their amount is a continuous characteristic. Hardware and processed materials often are referred to as goods.

NOTE 3 Quality assurance (3.2.11) is mainly focused on intended product.

3.4.3

project

unique process (3.4.1), consisting of a set of coordinated and controlled activities with start and finish dates, undertaken to achieve an objective conforming to specific requirements (3.1.2), including the constraints of time, cost and resources

- NOTE 1 An individual project can form part of a larger project structure.
- NOTE 2 In some projects the objectives are refined and the product characteristics (3.5.1) defined progressively as the project proceeds.
- NOTE 3 The outcome of a project can be one or several units of **product** (3.4.2).
- NOTE 4 Adapted from ISO 10006:2003.

3.4.4

design and development

set of **processes** (3.4.1) that transforms **requirements** (3.1.2) into specified **characteristics** (3.5.1) or into the **specification** (3.7.3) of a **product** (3.4.2), **process** (3.4.1) or **system** (3.2.1)

NOTE 1 The terms "design" and "development" are sometimes used synonymously and sometimes used to define different stages of the overall design and development process.

NOTE 2 A qualifier can be applied to indicate the nature of what is being designed and developed (e.g. product design and development or process design and development).

3.4.5

procedure

specified way to carry out an activity or a process (3.4.1)

NOTE 1 Procedures can be documented or not.

NOTE 2 When a procedure is documented, the term "written procedure" or "documented procedure" is frequently used. The **document** (3.7.2) that contains a procedure can be called a "procedure document".

3.5 Terms relating to characteristics

3.5.1

characteristic

distinguishing feature

NOTE 1 A characteristic can be inherent or assigned.

NOTE 2 A characteristic can be qualitative or quantitative.

NOTE 3 There are various classes of characteristic, such as the following:

- physical (e.g. mechanical, electrical, chemical or biological characteristics);
- sensory (e.g. related to smell, touch, taste, sight, hearing);
- behavioral (e.g. courtesy, honesty, veracity);
- temporal (e.g. punctuality, reliability, availability);
- ergonomic (e.g. physiological characteristic, or related to human safety);
- functional (e.g. maximum speed of an aircraft).

3.5.2

quality characteristic

inherent characteristic (3.5.1) of a product (3.4.2), process (3.4.1) or system (3.2.1) related to a requirement (3.1.2)

NOTE 1 Inherent means existing in something, especially as a permanent characteristic.

NOTE 2 A characteristic assigned to a product, process or system (e.g. the price of a product, the owner of a product) is not a quality characteristic of that product, process or system.

3.5.3

dependability

collective term used to describe the availability performance and its influencing factors: reliability performance, maintainability performance and maintenance support performance

NOTE Dependability is used only for general descriptions in non-quantitative terms.

[IEC 60050-191:1990].

3.5.4

traceability

ability to trace the history, application or location of that which is under consideration

NOTE 1 When considering **product** (3.4.2), traceability can relate to

- the origin of materials and parts,
- the processing history, and
- the distribution and location of the product after delivery.

NOTE 2 In the field of metrology the definition in VIM:1993, 6.10, is the accepted definition.

3.6 Terms relating to conformity

3.6.1

conformity

fulfilment of a requirement (3.1.2)

NOTE The term "conformance" is synonymous but deprecated.

3.6.2

nonconformity

non-fulfilment of a requirement (3.1.2)

3.6.3

defect

non-fulfilment of a requirement (3.1.2) related to an intended or specified use

NOTE 1 The distinction between the concepts defect and **nonconformity** (3.6.2) is important as it has legal connotations, particularly those associated with product liability issues. Consequently the term "defect" should be used with extreme caution.

NOTE 2 The intended use as intended by the **customer** (3.3.5) can be affected by the nature of the information, such as operating or maintenance instructions, provided by the **supplier** (3.3.6).

364

preventive action

action to eliminate the cause of a potential nonconformity (3.6.2) or other undesirable potential situation

- NOTE 1 There can be more than one cause for a potential nonconformity.
- NOTE 2 Preventive action is taken to prevent occurrence whereas corrective action (3.6.5) is taken to prevent recurrence.

3.6.5

corrective action

action to eliminate the cause of a detected nonconformity (3.6.2) or other undesirable situation

- NOTE 1 There can be more than one cause for a nonconformity.
- NOTE 2 Corrective action is taken to prevent recurrence whereas **preventive action** (3.6.4) is taken to prevent occurrence.
- NOTE 3 There is a distinction between **correction** (3.6.6) and corrective action.

3.6.6

correction

action to eliminate a detected **nonconformity** (3.6.2)

- NOTE 1 A correction can be made in conjunction with a corrective action (3.6.5).
- NOTE 2 A correction can be, for example, rework (3.6.7) or regrade (3.6.8).

3.6.7

rework

action on a nonconforming product (3.4.2) to make it conform to the requirements (3.1.2)

NOTE Unlike rework, repair (3.6.9) can affect or change parts of the nonconforming product.

368

regrade

alteration of the **grade** (3.1.3) of a nonconforming **product** (3.4.2) in order to make it conform to **requirements** (3.1.2) differing from the initial ones

3.6.9

repair

action on a nonconforming product (3.4.2) to make it acceptable for the intended use

NOTE 1 Repair includes remedial action taken on a previously conforming product to restore it for use, for example as part of maintenance.

NOTE 2 Unlike rework (3.6.7), repair can affect or change parts of the nonconforming product.

3.6.10

scrap

action on a nonconforming **product** (3.4.2) to preclude its originally intended use

EXAMPLE Recycling, destruction.

NOTE In a nonconforming service situation, use is precluded by discontinuing the service.

3.6.11

concession

permission to use or release a product (3.4.2) that does not conform to specified requirements (3.1.2)

NOTE A concession is generally limited to the delivery of a product that has nonconforming **characteristics** (3.5.1) within specified limits for an agreed time or quantity of that product.

3.6.12

deviation permit

permission to depart from the originally specified requirements (3.1.2) of a product (3.4.2) prior to realization

NOTE A deviation permit is generally given for a limited quantity of product or period of time, and for a specific use.

3.6.13

release

permission to proceed to the next stage of a process (3.4.1)

NOTE In English, in the context of computer software, the term "release" is frequently used to refer to a version of the software itself.

3.7 Terms relating to documentation

3.7.1

information

meaningful data

3.7.2

document

information (3.7.1) and its supporting medium

EXAMPLE Record (3.7.6), specification (3.7.3), procedure document, drawing, report, standard.

NOTE 1 The medium can be paper, magnetic, electronic or optical computer disc, photograph or master sample, or a combination thereof.

NOTE 2 A set of documents, for example specifications and records, is frequently called "documentation".

NOTE 3 Some **requirements** (3.1.2) (e.g. the requirement to be readable) relate to all types of documents, however there can be different requirements for specifications (e.g. the requirement to be revision controlled) and records (e.g. the requirement to be retrievable).

3.7.3

specification

document (3.7.2) stating requirements (3.1.2)

NOTE A specification can be related to activities (e.g. procedure document, process specification and test specification), or **products** (3.4.2) (e.g. product specification, performance specification and drawing).

3.7.4

quality manual

document (3.7.2) specifying the quality management system (3.2.3) of an organization (3.3.1)

NOTE Quality manuals can vary in detail and format to suit the size and complexity of an individual organization.

3.7.5

quality plan

document (3.7.2) specifying which **procedures** (3.4.5) and associated resources shall be applied by whom and when to a specific **project** (3.4.3), **product** (3.4.2), **process** (3.4.1) or contract

NOTE 1 These procedures generally include those referring to quality management processes and to product realization processes.

NOTE 2 A quality plan often makes reference to parts of the quality manual (3.7.4) or to procedure documents.

NOTE 3 A quality plan is generally one of the results of quality planning (3.2.9).

3.7.6

record

document (3.7.2) stating results achieved or providing evidence of activities performed

NOTE 1 Records can be used, for example, to document **traceability** (3.5.4) and to provide evidence of **verification** (3.8.4), **preventive action** (3.6.4) and **corrective action** (3.6.5).

NOTE 2 Generally records need not be under revision control.

3.8 Terms relating to examination

3.8.1

objective evidence

data supporting the existence or verity of something

NOTE Objective evidence may be obtained through observation, measurement, test (3.8.3), or other means.

3.8.2

inspection

conformity evaluation by observation and judgement accompanied as appropriate by measurement, testing or gauging

[ISO/IEC Guide 2]

3.8.3

test

determination of one or more characteristics (3.5.1) according to a procedure (3.4.5)

3.8.4

verification

confirmation, through the provision of **objective evidence** (3.8.1), that specified **requirements** (3.1.2) have been fulfilled

NOTE 1 The term "verified" is used to designate the corresponding status.

NOTE 2 Confirmation can comprise activities such as

- performing alternative calculations,
- comparing a new design specification (3.7.3) with a similar proven design specification,
- undertaking **tests** (3.8.3) and demonstrations, and
- reviewing documents prior to issue.

3.8.5

validation

confirmation, through the provision of **objective evidence** (3.8.1), that the **requirements** (3.1.2) for a specific intended use or application have been fulfilled

- NOTE 1 The term "validated" is used to designate the corresponding status.
- NOTE 2 The use conditions for validation can be real or simulated.

3.8.6

qualification process

process (3.4.1) to demonstrate the ability to fulfil specified requirements (3.1.2)

- NOTE 1 The term "qualified" is used to designate the corresponding status.
- NOTE 2 Qualification can concern persons, products (3.4.2), processes or systems (3.2.1).
- EXAMPLE Auditor qualification process, material qualification process.

3.8.7

review

activity undertaken to determine the suitability, adequacy and **effectiveness** (3.2.14) of the subject matter to achieve established objectives

NOTE Review can also include the determination of efficiency (3.2.15).

EXAMPLE Management review, design and development review, review of customer requirements and nonconformity review.

3.9 Terms relating to audit

3.9.1

audit

systematic, independent and documented **process** (3.4.1) for obtaining **audit evidence** (3.9.4) and evaluating it objectively to determine the extent to which **audit criteria** (3.9.3) are fulfilled

- NOTE 1 Internal audits, sometimes called first-party audits, are conducted by, or on behalf of, the **organization** (3.3.1) itself for management review and other internal purposes, and may form the basis for an organization's declaration of **conformity** (3.6.1). In many cases, particularly in smaller organizations, independence can be demonstrated by the freedom from responsibility for the activity being audited.
- NOTE 2 External audits include those generally termed second- and third-party audits. Second-party audits are conducted by parties having an interest in the organization, such as **customers** (3.3.5), or by other persons on their behalf. Third-party audits are conducted by external, independent auditing organizations, such as those providing certification/registration of conformity to ISO 9001 or ISO 14001.
- NOTE 3 When two or more management systems (3.2.2) are audited together, this is termed a combined audit.
- NOTE 4 When two or more auditing organizations cooperate to audit a single auditee (3.9.8), this is termed a joint audit.

3.9.2

audit programme

set of one or more audits (3.9.1) planned for a specific time frame and directed towards a specific purpose

Teknologi Malaysia

NOTE An audit programme includes all activities necessary for planning, organizing and conducting the audits.

3.9.3

audit criteria

set of policies, procedures (3.4.5) or requirements (3.1.2)

NOTE Audit criteria are used as a reference against which audit evidence (3.9.4) is compared.

3.9.4

audit evidence

records (3.7.6), statements of fact or other information (3.7.1) which are relevant to the audit criteria (3.9.3) and verifiable

NOTE Audit evidence can be qualitative or quantitative.

3.9.5

audit findings

results of the evaluation of the collected audit evidence (3.9.4) against audit criteria (3.9.3)

NOTE Audit findings can indicate either conformity (3.6.1) or nonconformity (3.6.2) with audit criteria or opportunities for improvement.

3.9.6

audit conclusion

outcome of an audit (3.9.1) provided by the audit team (3.9.10) after consideration of the audit objectives and all audit findings (3.9.5)

3.9.7

audit client

organization (3.3.1) or person requesting an audit (3.9.1)

NOTE The audit client may be the auditee (3.9.8) or any other organization (3.3.1) that has the regulatory or contractual right to request an audit.

3.9.8

auditee

organization (3.3.1) being audited

3.9.9

auditor

person with the demonstrated personal attributes and competence (3.1.6 and 3.9.14) to conduct an audit (3.9.1)

NOTE The relevant personal attributes for an auditor are described in ISO 19011.

3.9.10

audit team

one or more auditors (3.9.9) conducting an audit (3.9.1), supported if needed by technical experts (3.9.11)

NOTE 1 One auditor of the audit team is appointed as the audit team leader.

NOTE 2 The audit team may include auditors-in-training.

3.9.11

technical expert

(audit) person who provides specific knowledge or expertise to the audit team (3.9.10)

NOTE 1 Specific knowledge or expertise relates to the organization (3.3.1), the process (3.4.1) or activity to be audited, or language or culture.

NOTE 2 A technical expert does not act as an auditor (3.9.9) in the audit team.

EN ISO 9000:2005

3.9.12

audit plan

description of the activities and arrangements for an audit (3.9.1)

3.9.13

audit scope

extent and boundaries of an audit (3.9.1)

NOTE The audit scope generally includes a description of the physical locations, organizational units, activities and **processes** (3.4.1), as well as the time period covered.

3.9.14

competence

(audit) demonstrated personal attributes and demonstrated ability to apply knowledge and skills

3.10 Terms related to quality management for measurement processes

3.10.1

measurement management system

set of interrelated and interacting elements necessary to achieve **metrological confirmation** (3.10.3) and continual control of **measurement processes** (3.10.2)

3.10.2

measurement process

set of operations to determine the value of a quantity

3.10.3

metrological confirmation

set of operations required to ensure that **measuring equipment** (3.10.4) conforms to the **requirements** (3.1.2) for its intended use

- NOTE 1 Metrological confirmation generally includes calibration or **verification** (3.8.4), any necessary adjustment or **repair** (3.6.9), and subsequent recalibration, comparison with the metrological requirements for the intended use of the equipment, as well as any required sealing and labelling.
- NOTE 2 Metrological confirmation is not achieved until and unless the fitness of the measuring equipment for the intended use has been demonstrated and documented.
- NOTE 3 The requirements for intended use include such considerations as range, resolution and maximum permissible errors.
- NOTE 4 Metrological requirements are usually distinct from, and are not specified in, product requirements.

3.10.4

measuring equipment

measuring instrument, software, measurement standard, reference material or auxiliary apparatus or combination thereof necessary to realize a **measurement process** (3.10.2)

3.10.5

metrological characteristic

distinguishing feature which can influence the results of measurement

- NOTE 1 Measuring equipment (3.10.4) usually has several metrological characteristics.
- NOTE 2 Metrological characteristics can be the subject of calibration.

3.10.6

metrological function

function with administrative and technical responsibility for defining and implementing the **measurement** management system (3.10.1)

NOTE The word "defining" has the meaning of "specifying". It is not used in the terminological sense of "defining a concept" (in some languages, this distinction is not clear from the context alone).

Annex A

(informative)

Methodology used in the development of the vocabulary

A.1 Introduction

The universality of application of the ISO 9000 family of standards requires the use of

- a technical description but without the use of technical language, and
- a coherent and harmonized vocabulary that is easily understandable by all potential users of quality management systems standards.

Concepts are not independent of one another, and an analysis of the relationships between concepts within the field of quality management systems and the arrangement of them into concept systems is a prerequisite of a coherent vocabulary. Such an analysis was used in the development of the vocabulary specified in this document. Since the concept diagrams employed during the development process may be helpful in an informative sense, they are reproduced in A.4.

A.2 Content of a vocabulary entry and the substitution rule

The concept forms the unit of transfer between languages (including variants within one language, for example American English and British English). For each language, the most appropriate term for the universal transparency of the concept in that language, i.e. not a literal approach to translation, is chosen.

A definition is formed by describing only those characteristics that are essential to identify the concept.

Information concerning the concept which is important but which is not essential to its description is put in one or more notes to the definition.

When a term is substituted by its definition, subject to minor syntax changes, there should be no change in the meaning of the text. Such a substitution provides a simple method for checking the accuracy of a definition. However, where the definition is complex in the sense that it contains a number of terms, substitution is best carried out taking one or, at most, two definitions at a time. Complete substitution of the totality of the terms will become difficult to achieve syntactically and unhelpful in conveying meaning.

A.3 Concept relationships and their graphical representation

A.3.1 General

In terminology work, the relationships between concepts are based on the hierarchical formation of the characteristics of a species so that the most economical description of a concept is formed by naming its species and describing the characteristics that distinguish it from its parent or sibling concepts.

There are three primary forms of concept relationships indicated in this annex: generic (A.3.2), partitive (A.3.3) and associative (A.3.4).

A.3.2 Generic relation

Subordinate concepts within the hierarchy inherit all the characteristics of the superordinate concept and contain descriptions of these characteristics which distinguish them from the superordinate (parent) and coordinate (sibling) concepts, e.g. the relation of spring, summer, autumn and winter to season.

Generic relations are depicted by a fan or tree diagram without arrows (see Figure A.1).




Figure A.1 — Graphical representation of a generic relation

A.3.3 Partitive relation

Subordinate concepts within the hierarchy form constituent parts of the superordinate concept, e.g. spring, summer, autumn and winter may be defined as parts of the concept year. In comparison, it is inappropriate to define sunny weather (one possible characteristic of summer) as part of a year.

Partitive relations are depicted by a rake without arrows (see Figure A.2). Singular parts are depicted by one line, multiple parts by double lines.




Figure A.2 — Graphical representation of a partitive relation

A.3.4 Associative relation

Associative relations cannot provide the economies in description that are present in generic and partitive relations but are helpful in identifying the nature of the relationship between one concept and another within a concept system, e.g. cause and effect, activity and location, activity and result, tool and function, material and product.

Associative relations are depicted by a line with arrowheads at each end (see Figure A.3).



Figure A.3 — Graphical representation of an associative relation

A.4 Concept diagrams

Figures A.4 to A.13 show the concept diagrams on which the thematic groupings of Clause 3 are based.

Since the definitions of the terms are repeated without any related notes, it is recommended to refer to Clause 3 to consult any such notes.




Figure A.4 — Concepts relating to quality (3.1)




Figure A.5 — Concepts relating to management (3.2)




Figure A.6 — Concepts relating to organization (3.3)




Figure A.7 — Concepts relating to process and product (3.4)

Figure A.8 — Concepts relating to characteristics (3.5)




Figure A.9 — Concepts relating to conformity (3.6)




Figure A.10 — Concepts relating to documentation (3.7)




Figure A.11 — Concepts relating to examination (3.8)

Figure A.12 — Concepts relating to audit (3.9)




Figure A.13 — Concepts relating to quality management for measurement processes (3.10)

Bibliography

- [1] ISO 704, Terminology work Principles and methods
- [2] ISO 1087-1, Terminology work Vocabulary Part 1: Theory and application
- [3] ISO 3534-2, Statistics Vocabulary and symbols Part 2: Applied statistics¹⁾
- [4] ISO 9001:2000, Quality management systems Requirements
- [5] ISO 9004:2000, Quality management systems Guidelines for performance improvements
- [6] ISO 10012, Measurement management systems Requirements for measurement processes and measuring equipment
- [7] ISO/TR 10013, Guidelines for quality management system documentation
- [8] ISO/TR 10017, Guidance on statistical techniques for ISO 9001:2000
- [9] ISO 10019, Guidelines for the selection of quality management system consultants and use of their services
- [10] ISO 10241, International terminology standards Preparation and layout
- [11] ISO/TR 13425, Guidelines for the selection of statistical methods in standardization and specification
- [12] ISO/IEC 17000, Conformity assessment Vocabulary and general principles
- [13] ISO 19011, Guidelines for quality and/or environmental management systems auditing
- [14] ISO/IEC Guide 2, Standardization and related activities General vocabulary
- [15] IEC 60050-191, International Electrotechnical Vocabulary Chapter 191: Dependability and quality of service
- [16] IEC 60050-191/A2:2002, International Electrotechnical Vocabulary Chapter 191: Dependability and quality of service: Amendment 2
- [17] VIM:1993, International vocabulary of basic and general terms in metrology, BIPM/IEC/ISC/OIML/IUPAC/IUPAP
- [18] Quality Management Principles Brochure 2)
- [19] ISO 9000 + ISO 14000 News (a bimonthly publication which provides comprehensive coverage of international developments relating to ISO's management system standards, including news of their implementation by diverse organizations around the world) 3)
- [20] ISO/IEC Directives, Part 1, Part 2:2004 and Supplement

¹⁾ To be published.

²⁾ Available from website: http://www.iso.org

³⁾ Available from ISO Central Secretariat (sales@iso.org).

Alphabetical index

Α	1	quality plan 3.7.5 quality planning 3.2.9
audit 3.9.1	information 3.7.1	quality policy 3.2.4
audit client 3.9.7	infrastructure 3.3.3	
audit conclusion 3.9.6	inspection 3.8.2	
audit criteria 3.9.3	interested party 3.3.7	R
audit evidence 3.9.4		K
audit findings 3.9.5		record 3.7.6
audit plan 3.9.12	M	regrade 3.6.8
audit programme 3.9.2 audit scope 3.9.13		release 3.6.13
audit team 3.9.10	management 3.2.6	repair 3.6.9
auditee 3.9.8	management system 3.2.2	requirement 3.1.2
auditor 3.9.9	measurement management	review 3.8.7
	system 3.10.1	rework 3.6.7
	measurement process 3.10.2	
	measuring equipment 3.10.4	
С	metrological characteristic 3.10.5	S
	metrological confirmation 3.10.3	5
capability 3.1.5	metrological function 3.10.6	scrap 3.6.10
characteristic 3.5.1		specification 3.7.3
competence 3.1.6 competence (audit) 3.9.14		supplier 3.3.6
competence (audit) 3.9.14 concession 3.6.11	N	system 3.2.1
conformity 3.6.1		.,
continual improvement 3.2.13	nonconformity 3.6.2	
contract 3.3.8		_
correction 3.6.6		Т
corrective action 3.6.5	0	technical expert (audit) 3.9.11
customer 3.3.5	O	technical expert (audit) 3.9.11 test 3.8.3
customer satisfaction 3.1.4	objective evidence 3.8.1 organization 3.3.1	top management 3.2.7 traceability 3.5.4
	organizational structure 3.3.2	
D		V
defect 3.6.3	Р	V
dependability 3.5.3		validation 3.8.5
design and development 3.4.4 deviation permit 3.6.12	preventive action 3.6.4 procedure 3.4.5	verification 3.8.4
document 3.7.2	process 3.4.1	
	product 3.4.2	\ ^/
	project 3.4.3	W
Е		work environment 3.3.4
effectiveness 3.2.14 efficiency 3.2.15	Q	
	qualification process 3.8.6	
	quality 3.1.1	
G	quality assurance 3.2.11	
3	quality characteristic 3.5.2	
grade 3.1.3	quality control 3.2.10	
•	quality improvement 3.2.12	
	quality management 3.2.8	
	quality management system 3.2.3	
	quality manual 3.7.4 quality objective 3.2.5	
	-1	

DSI

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: +44 (0)20 8996 9000. Fax: +44 (0)20 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: +44 (0)20 8996 9001. Fax: +44 (0)20 8996 7001. Email: orders@bsi-global.com. Standards are also available from the BSI website at http://www.bsi-global.com.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: +44 (0)20 8996 7111. Fax: +44 (0)20 8996 7048. Email: info@bsi-global.com.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration.

Tel: +44 (0)20 8996 7002. Fax: +44 (0)20 8996 7001.

Email: membership@bsi-global.com.

Information regarding online access to British Standards via British Standards Online can be found at http://www.bsi-global.com/bsonline.

Further information about BSI is available on the BSI website at http://www.bsi-global.com.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means — electronic, photocopying, recording or otherwise — without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

Details and advice can be obtained from the Copyright & Licensing Manager. Tel: +44 (0)20 8996 7070. Fax: +44 (0)20 8996 7553. Email: copyright@bsi-global.com.

BSI 389 Chiswick High Road London W4 4AL